



CERTIFICATE

Certificate holder	GUTEX Holzfaserplattenwerk H. Henselmann GmbH + Co KG Gutenberg 5 79761 Waldshut-Tiengen GERMANY
Production facility	Waldshut-Tiengen
Product	Thermal insulation products for buildings
Type, Model	Thermosafe-homogen Thermowall-L Wood-fibre thermal insulation board
Testing basis	DIN EN 13171:2015-04 DIN EN 13172:2012-04 European Insulation KEYMARK Scheme for Thermal Insulation Products (2016-11)
Mark of conformity	
Registration No.	011-7D083
Valid until	2020-06-30
Nutzungsrecht	This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number.

See annex for further information.

2018-06-21


Dipl.-Phys. Carlo Seiser
Deputy Head of Certification Body

ANNEX

Page 1 of 1

Certificate	011-7D083 dated 2018-06-21
Technical Data	<p>Thermosafe-homogen</p> <ul style="list-style-type: none">- Designation code in accordance with DIN EN 13171: WF-EN 13171-T4-WS2,0-CS(10/Y)50-MU4-AFr100- Thermal conductivity: 0,038 W/(mK)- Reaction to fire: Euroclasse E- Thickness: 40 mm - 240 mm <p>Thermowall-L</p> <ul style="list-style-type: none">- Designation code in accordance with DIN EN 13171: WF-EN 13171-T5-WS1,0-DS(70,-)3-CS(10/Y)50-TR7,5-MU3-AFr100- Thermal conductivity: 0,038 W/(mK)- Reaction to fire: Euroclasse E- Thickness: 120 mm - 200 mm
Testing laboratory/ Inspection body	Materialprüfungsanstalt Universität Stuttgart Pfaffenwaldring 32 70569 Stuttgart GERMANY
Test report(s)	90003345/3/Schr dated 2017-04-24 9003345/17/Schr dated 2017-04-26
Surveillance contract/ License agreement	7000386 dated 2017-01-26

