

SGS INSTITUT FRESENIUS GmbH · Im Maisel 14 · D-65232 Taunusstein

APP All Protect
Het Riet 9
5431 NL Cuijk



Report-No.: 5578325-02-V1

SGS INSTITUT FRESENIUS GmbH
Im Maisel 14
D-65232 Taunusstein

Sebastian Vogel
CRS-CPCH BioServices
Tel. +49 6128 744 316
sebastian.vogel@sgs.com

Taunusstein, January 29, 2021

1 General Information

Titel:	Test for Ready Biodegradability of Products
Sponsor:	APP All Protect
Sponsor's contact person:	Mr. Erik Amesz
Study director:	Sebastian Vogel
Sample designation:	"Anti vandaal coating PSS-20 DRY"
SGS Sample-No.:	201214647
Date of order:	November 26, 2020
Sample receipt:	November 26, 2020
Test method:	OECD-Guideline 301 B (CO ₂ Evolution Test) 1992-07; accredited to DIN EN ISO 17025
Testing period:	December 10, 2020 to January 8, 2021
Pages:	7

2 Test Information

Inoculum:	Filtrate of homogenised activated sludge from the waste-water treatment plant at Taunusstein-Bleidenstadt; Lot-No.: December 9, 2020
Incubation time:	28 days
Detection method:	CO ₂ -measurement
Control:	Sodium benzoate, ≈20 mg/L TOC
Application method:	A stock solution in DCM was prepared and a defined amount of the stock solution was applied on a glass filter. After drying at room temperature, the glass filter was torn and put into the incubation vessel.

Definitions:

TOC:	total organic carbon
TCO ₂ :	theoretical amount of CO ₂ which may be developed from the test item (expressed as mg CO ₂ / g test item). This value is calculated from the carbon content of the test item and the relation of molar masses of CO ₂ (= 44.01) and carbon (= 12.01).
ThCO ₂ :	theoretical amount of CO ₂ , which may be developed from the test item within the whole test solution (= 3.5 L).

3 Method description

The test item and the polyvalent inoculum from an activated sewage plant dealing predominantly with domestic sewage are incubated together in a mineral nutrient medium at a temperature range of 19 to 25 °C. The test item is the sole carbon and energy source. The test solutions are aerated with CO₂-free compressed air and are stirred on a magnetic stirrer. When the test material is mineralised it is converted to CO₂ which is trapped in a system of gas-washing bottles into barium hydroxide. The CO₂ is quantified by titration of the remaining barium hydroxide with HCl. Comparing the amount of CO₂ produced upon degradation of the test item with the theoretical amount of CO₂ (ThCO₂) the percentage of degradation is calculated. Two Blank controls with inoculum but without any test item are run in parallel in order to determine the amount of CO₂ derived from the inoculum. The mean of these values have to be subtracted from those values determined for the test solutions with the test item. At the end of the test the reaction in the test solutions is stopped by addition of 1 mL HCl conc. to each of the test solutions, and inorganic carbonates are made volatile. Aeration with CO₂-free compressed air is continued for another 1 day in order to purge the remaining CO₂ off the test solutions. Two test solutions with the test item are tested in parallel at ≈10 mg/L TOC. The test duration normally is 28 days (+ 1 day purging off the dissolved CO₂ from the test solutions after acidification of the test solutions).

4 Evaluation

$$\% \text{TCO}_2 = \frac{\text{mg CO}_2 \text{ produced} \times 100}{(\text{mg Test item in test solution}) \times (\text{TCO}_2)} = \% \text{ Degradation}$$

5 Test report

The test solutions were prepared according to the OECD guideline 301 B.

Carbon content of the test item (calculated from TOC-measurement):

393 mg C / g Test item¹⁾

Relation molar masses of CO₂ : C = 44.01 : 12.01 = 3.667

Resulting: TCO₂ = 1440 mg CO₂ / g Test item

Volume of test solutions: 3500 mL

Amount of test item within:

Test solution 1: 93.7 mg / 3500 mL

ThCO₂ = 134.9 mg CO₂ / 3500 mL Test solution

Test Solution 2: 92.2 mg / 3500 mL

ThCO₂ = 132.8 mg CO₂ / 3500 mL Test solution

Amount of control item sodium benzoate within:

Test Solution 3: 127.4 mg / 3500 mL Test solution

ThCO₂ = 271.7 mg CO₂ / 3500 mL Test solution

Amount of test and control items in the toxicity control in:

Test solution 4: 91.5 mg test item / 3500 mL test solution;
+ 128.9 mg sodium benzoate / 3500 mL test solution
ThCO₂ = 406.7 mg CO₂ / 3500 mL test solution

¹⁾ This measurement was performed according to DIN EN 15407:2011-05 at SGS INSTITUT FRESENIUS GmbH Berlin being also accredited according DIN EN ISO 17025

6 Validity criteria

Total-CO₂-Evolution of the Blanks:

Blank solution A	=	91.63 mg CO ₂ / 3.5 L [26.18 mg CO ₂ / L] in 28 d
Blank solution B	=	104.93 mg CO ₂ / 3.5 L [29.98 mg CO ₂ / L] in 28 d
Mean blank solutions	=	98.28 mg CO ₂ / 3.5 L [28.08 mg CO ₂ / L] in 28 d

Positive Control:

The control item sodium benzoate was degraded 87 % within 28 days. The threshold of "ready biodegradability" of ≥ 60 % was passed within 7 days (66 %).

The validity criteria defined by guideline OECD 301 B were met / complied with:

- The inorganic carbon content of the test item in the test solution is < 5 % of the total carbon content.
- The CO₂ formation of the negative controls / blanks is < 40 mg CO₂ / L in each case.
- The positive control meets the requirements with regard to the minimum degree of degradation and a 10-day window.
- The result deviation in the parallel batches with test substance (Run 1 and 2) is < 20 %.

7 Results

Table 1: Test Solution 1 with the test item

Time [d]	Concentration: 93.70 mg / 3.5 L ThCO ₂ : 134.94 mg CO ₂ / 3.5 L	
	mg CO ₂ produced in the Test solution. cumulative	% TCO ₂ (= % Degradation)
4	0.34	0
7	24.03	18
11	48.44	36
13	67.51	50
19	83.89	62
25	90.42	67
28	93.49	69 ¹⁾
29	95.46	71

¹⁾ The test solution was stopped at time 28d by the addition of 1 mL conc. HCl. The final titration was performed at time t_{29d}.

Table 2: Test Solution 2 with the test item

Time [d]	Concentration: 92.20 mg / 3.5 L ThCO ₂ : 132.78 mg CO ₂ / 3.5 L	
	mg CO ₂ produced in the Test solution. cumulative	% TCO ₂ (= % Degradation)
4	0.00	0
7	22.55	17
11	46.33	35
13	64.68	49
19	75.21	57
25	76.08	57
28	78.46	59 ¹⁾
29	81.04	61

¹⁾ The test solution was stopped at time 28d by the addition of 1 mL conc. HCl. The final titration was performed at time t_{29d}.

Table 3: Toxicity Control

Time [d]	Concentration: 128.90 mg Sodium Benzoate + 91.50 mg Test Item	
	ThCO ₂ : 406.66 mg CO ₂ / 3.5 L	
	mg CO ₂ produced in the Test solution. cumulative	% TCO ₂ (= % Degradation)
4	30.83	8
7	224.39	55
11	251.01	62
13	276.89	68
19	297.42	73
25	311.89	77
28	326.01	80 ¹⁾
29	334.96	82

¹⁾ The test solution was stopped at time 28d by the addition of 1 mL conc. HCl. The final titration was performed at time t_{29d}.

Table 4: Positive Control Sodium Benzoate

Time [d]	Concentration: 127.40 mg / 3.5 L ThCO ₂ : 271.69 mg CO ₂ / 3.5 L	
	mg CO ₂ produced in the Test solution. cumulative	% TCO ₂ (= % Degradation)
4	103.04	38
7	179.38	66
11	199.41	73
13	212.99	78
19	220.86	81
25	226.76	83
28	229.88	85 ¹⁾
29	236.58	87

¹⁾ The test solution was stopped at time 28d by the addition of 1 mL conc. HCl. The final titration was performed at time t_{29d}.




Figure 1: Graphical Presentation of the Results

8 Conclusion


The threshold of "ready biodegradability" of $\geq 60\%$ was met within both test solutions. The mean value of 66 % is higher than the pass value of the OECD Guideline 301B. Thus the test item "**Anti vandalism coating PSS-20 DRY**" can be termed "readily biodegradable". According to the results of the toxicity control, a toxic effect towards microorganisms at the concentration tested can be excluded.

Annotation: It should be noted that the bio degradation test method according to OECD 301B was designed to test pure substances, but not for multi-substance mixtures. Therefore, it cannot be excluded that individual product components or degradation (intermediate) products / metabolites are ready degradable, inherent degradable and / or non-degradable, as this guideline only detects the sum of the mineralized organic carbon compounds.

SGS Institut Fresenius GmbH

D-65232 Taunusstein, January 29, 2021

i.V.



Sebastian Vogel
Group Leader BioServices

i.V.



Dr. Ella Allerdings
Lab manager BioServices

The test results refer exclusively to the examined test items and the date of the test under the test specifications

-End of Report-

This document is issued by the Company subject to its General Conditions of Service (www.sgsgroup.de/agb). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

This document is an original. If the document is submitted digitally, it is to be treated as an original within the meaning of UCP 600.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.